### DICHTOMATIK BRAND KIT OFFERINGS



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

#### **ADVANTAGES**

- Simplifies maintenance by providing a wide variety of sizes commonly used in equipment
- Eliminates the guesswork of ordering seals and allows for quick replacement of seal onsite
- Comes available in a wide variety of sizes, durometers, styles and materials
- Kits come available in several international standard sizes including American, Metric, and Japanese
- Our kits include products such as O-Rings, Backup Rings, Square Rings, Face Seals, Flange Seals, Quad-Rings, and Splicing Kits

Name	Part #	Legacy #	Name	Part #	Legacy #
Standard O-Ring Kit	75083243	Ν70ΚΙΤ	K-Face Seal Kit	75172340	K-FACE/N90
HSN O-Ring Kit	75172338	HSN70KIT	K-Flange Seal Kit	75172342	K-FLANGE/N90
Warehouse O-Ring & Splicing Kit	75083248	N70WHSEKIT	K-Combo O-Ring Kit	75076326	K-COMBO/N90
Contoured Backup Ring Kit	75083904	N8-90KIT	Metric Buna (30) O-Ring Kit	75080827	MN70KIT-1
Quad Ring Kit	75172708	QN70KIT	Metric Buna (32) O-ring Kit	75172369	MN70KIT
Square Ring Kit	75172712	SN70KIT	JIS Metric Buna O-Ring Kit	75074023	JMN70KIT
Standard Boss (900 Series) O-Ring Kit	75172381	N90BOSSKIT	Metric Viton O-Ring Kit	75172372	MV75KIT
Deluxe Boss (900 Series) O-Ring Kit	75039286	N90BOSSKIT-2	Metric Warehouse O-Ring & Splicing Kit	75080829	<b>MN70WHSEKIT</b>
K-Boss (900 Series) O-Ring Kit	75172339	K-Boss/N90			

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### STANDARD O-RING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- Other materials/ Durometers are available upon request
- 30 standard AS568A sizes, 382 total pieces
- Box dimensions 9.5" x 7.25" x 1.75" (241mm x 184mm x 45 mm)

#### PART # 75083243 (N70KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
006	20	111	13	212	10	220	10
007	20	112	13	213	10	221	10
008	20	113	13	214	10	222	10
009	20	114	13	215	10	325	7
010	20	115	13	216	10	326	7
011	20	116	13	217	10	327	7
012	20	210	10	218	10		
110	13	211	10	219	10		

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





## HSN O-RING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material Green HSN 70 Durometer
- Highly Saturated Nitrile
- 12 standard AS568A sizes, 220 total pieces
- Box dimensions 7.75" x 5.75" x 1.75" (197mm x 146mm x 45 mm)

#### PART # 75172338 (HSN70KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.
008	20	013	20	111	15
010	20	014	20	116	15
011	20	015	20	118	15
012	20	017	20	211	15

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### WAREHOUSE O-RING & SPLICING KIT PG 1 OF 2



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- Other materials/ Durometers are available upon request
- 64 standard AS568A sizes, 1337 total pieces
- Includes complete splicing kit components: 5 feet each of 0.070", 0.103", 0.139", 0.210" and 0.275" along with splicing jig, razor blade, adhesive, and 2-piece set of brass installation and extraction picks
- Box dimensions 18.25" x 6.5" x 8.75" (464mm x 165mm x 223 mm)

#### PART # 75083248 (N70WHSEKIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

FREUDENBERG-NKK

INNOVATING TOGETHER

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
006	50	014	50	022	25	114	30
007	50	015	30	023	25	115	30
008	50	016	30	024	25	116	15
009	50	017	30	025	25	117	15
010	50	018	30	110	30	118	15
011	50	019	30	111	30	119	15
012	50	020	30	112	30	120	15
013	50	021	25	113	30	121	15

The Items included in this kit are continued on the next page.



### WAREHOUSE O-RING & SPLICING KIT PG 2 OF 2



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- Other materials/ Durometers are available upon request
- 64 standard AS568A sizes, 1337 total pieces
- Includes complete splicing kit components: 5 feet each of 0.070", 0.103", 0.139", 0.210" and 0.275" along with splicing jig, razor blade, adhesive, and 2-piece set of brass installation and extraction picks
- Box dimensions 18.25" x 6.5" x 8.75" (464mm x 165mm x 223 mm)

#### PART # 75083248 (N70WHSEKIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
122	15	215	15	223	10	327	6
123	15	216	10	224	10	328	6
124	15	217	10	320	8	329	6
210	15	218	10	321	8	330	6
211	15	219	10	322	8	425	3
212	15	220	1	324	6	426	3
213	15	221	10	325	6	427	2
214	15	222	10	326	6	428	2

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.







### CONTOURED BACKUP RING KIT

In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 90 Durometer
- Also available in Viton 90 Durometer and Teflon
- 36 standard AS568A sizes, 293 total pieces
- Box dimensions 7.75" x 5.75" x 1.75" (197mm x 146mm x 45 mm)

#### PART # 75083904 (N8-90KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
005	10	014	10	114	10	211	7
006	10	015	10	115	10	212	7
007	10	016	10	116	10	213	7
008	10	017	10	117	5	214	5
009	10	018	10	118	5	215	5
010	10	110	10	119	5	216	5
011	10	111	10	120	5	217	5
012	10	112	10	121	5	218	5
013	10	113	10	210	7	219	5

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### QUAD RING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- Also available in Viton 75 Durometer
- 36 standard AS568A sizes, 226 total pieces
- Box dimensions 7.75" x 5.75" x 1.75" (197mm x 146mm x 45 mm)

#### PART # 75172708 (QN70KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
005	10	014	6	114	6	211	5
006	10	015	6	115	6	212	5
007	10	016	6	116	6	213	5
008	10	017	5	117	4	214	5
009	10	018	5	118	4	215	5
010	10	110	6	119	4	216	5
011	10	111	6	120	4	217	5
012	10	112	6	121	4	218	5
013	6	113	6	210	5	219	5

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### SQUARE RING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- 24 standard AS568A sizes, 240 total pieces
- Box dimensions 10.75" x 7.25" x 2" (273mm x 191mm x 51 mm)

### PART # 75172712 (SN70KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
008	10	014	10	114	10	212	10
009	10	015	10	115	10	213	10
010	10	110	10	116	10	214	10
011	10	111	10	117	10	215	10
012	10	112	10	210	10	216	10
013	10	113	10	211	10	217	10

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### STANDARD BOSS (900 SERIES) O-RING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 90 Durometer
- Other materials/ Durometers are available upon request
- 12 standard AS568A sizes, 250 total pieces
- Box dimensions 7.75" x 5.75" x 1.75" (197mm x 146mm x 45 mm)

#### PART # 75172381 (N90BOSSKIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
904	35	907	20	910	20	913	15
905	30	908	20	911	15	914	15
906	30	909	20	912	15	916	15

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





# DELUXE BOSS (900 SERIES) O-RING KIT

In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- Includes a brass installation/ extraction pick
- 20 standard AS568A sizes, 212 total pieces
- Box dimensions 9.125" x 6.5" x 1.5" (232mm x 165mm x 38mm)

#### PART # 75039286 (N90BOSSKIT-2)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
901	10	906	12	911	10	918	10
902	10	907	12	912	10	920	10
903	10	908	12	913	10	924	10
904	10	909	12	914	10	928	10
905	12	910	12	916	10	932	10

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





# K-BOSS (900 SERIES) O-RING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 90 Durometer
- Other materials/ Durometers are available upon request
- 11 standard AS568A sizes, 241 total pieces
- Box dimensions 9.5" x 7.75" x 1.75" (242mm x 197mm x 45 mm)

#### PART # 75172339 (K-BOSS/N90)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.
904	30	910	30	920	7
905	30	912	30	924	7
906	30	914	20	932	7
908	30	916	20		

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





## K-FACE SEAL KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 90 Durometer
- Other materials/ Durometers are available upon request
- 8 standard AS568A sizes, 200 total pieces
- Box dimensions 7" x 4.25" x 1.75" (178mm x 108mm x 45 mm)

### PART # 75172340 (K-FACE/N90)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS
011	25	018	25
012	25	021	25
014	25	025	25
016	25	029	25

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### K-FLANGE SEAL KIT

In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 90 Durometer
- Other materials/ Durometers are available upon request
- 7 standard AS568A sizes, 70 total pieces
- Box dimensions 7" x 3.75" x 1.5" (178mm x 95mm x 38mm)

AS568A	PCS.	AS568A	PCS
210	10	225	10
214	10	228	10
219	10	232	10
222	10		

#### PART # 75172342 (K-FLANGE/N90)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### K-COMBO O-RING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 90 Durometer
- Other materials/ Durometers are available upon request
- 26 standard AS568A sizes, 620 total pieces
- Box dimensions 15.25" x 12" x 2.5" (388mm x 305mm x 64 mm)

#### PART # 75076326 (K-COMBO/N90)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

AS568A	PCS.	AS568A	PCS	AS568A	PCS.	AS568A	PCS.
011	30	029	30	232	10	914	30
012	30	210	20	904	30	916	30
014	30	214	20	905	30	920	10
016	30	219	20	906	30	924	10
018	30	222	20	908	30	932	10
021	30	225	10	910	30		
025	30	228	10	912	30		

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





# METRIC BUNA (30) O-RING KIT

In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- 30 standard Metric sizes, 386 total pieces
- Box dimensions 9.5" x 7.25" x 1.75" (242mm x 184mm x 45 mm)



#### PART # 75080827 (MN70KIT-1)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

ММ	PCS.	ММ	PCS	ММ	PCS.	MM	PCS.
2x3	16	2.5x11	13	3x22	12	3x35	12
2x4	16	2.5x12	13	3x24	12	3x36	12
2x5	16	2.5x14	13	3x25	12	3x38	12
2x6	16	2.5x16	13	3x27	12	4x38	9
2x7	16	2.5x17	13	3x28	12	4x41	9
2x8	16	2.5x19	13	3x30	12	4x44	9
2x10	16	3x19	12	3x32	12		
2.5x10	13	3x20	12	3x33	12		

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





# METRIC BUNA (32) O-RING KIT

In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- 32 standard Metric sizes, 401 total pieces
- Box dimensions 11" x 7" x 1.75" (280mm x 178mm x 45 mm)



#### PART # 75172369 (MN70KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

ММ	PCS.	MM	PCS	MM	PCS.	MM	PCS.
1x3	38	2x14	17	4x20	9	4x45	9
1x4	17	2x17	17	4x22	9	4x47	9
2x5	9	2x20	17	4x24	9	4x50	19
2x6	17	3x10	12	4x25	9	5x16	7
2x8	17	3x12	12	4x30	9	5x25	14
2x10	17	3x16	12	4x34	9	5x30	7
2x11	17	3x18	12	4x36	9	5x32	7
2.5x12	17	3x22	12	4x40	9	5x35	7

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### JIS METRIC BUNA O-RING KIT

In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- 35 Japanese Metric sizes, 444 total pieces
- Box dimensions 12" x 8.5" x 1.75" (305mm x 216mm x 45 mm)



#### PART # 75074023 (JMN70KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

MM	PCS.	ММ	PCS	ММ	PCS.	ММ	PCS.
1.9x2.8 (P3)	10	2.4x11.8 (P12)	14	3.1x34.4 (G35)	12	3.5x27.7 (P28)	11
1.9x3.8 (P4)	12	2.4x13.8 (P14)	14	3.1x39.4 (G40)	12	3.5x28.7 (P29)	11
1.9x4.8 (P5)	16	2.4x15.8 (P16)	14	3.1x44.4 (G45)	12	3.5x29.7 (P30)	11
1.9x5.8 (P6)	18	2.4x16.8 (P17)	14	3.1x49.4 (G50)	12	3.5x31.7 (P32)	11
1.9x6.8 (P7)	18	2.4x18.8 (P19)	14	3.1x54.4 (G55)	12	3.5x33.7 (P34)	11
1.9x7.8 (P8)	18	3x20	11	3.1x59.4 (G60)	12	3.5x34.7 (P35)	11
1.9x9.8 (P10)	18	3x22	11	3.5x23.7 (P24)	10	3.5x35.7 (P36)	11
2.4x9.8 (P10A)	14	3.1x24.4 (G25)	12	3.5x24.7 (P25)	10	3.5x37.7 (P38)	11
2.4x10.8 (P11)	14	3.1x29.4 (G30)	12	3.5x25.7 (P26)	10		

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### METRIC VITON O-RING KIT

In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 75 Durometer
- 36 Metric sizes, 500 total pieces
- Box dimensions 7.75" x 5.75" x 1.75" (197mm x 146mm x 45 mm)



#### PART # 75172372 (MV75KIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

ММ	PCS.	ММ	PCS	MM	PCS.	MM	PCS.
1.5x5	20	1.6x13.1	15	2x19	10	2.5x13	10
1.5x13	15	2x4	20	2x20	10	2.5x14	10
1.5x16	10	2x6	20	2.4x4.3	15	2.5x15	10
1.6x2.2	20	2x8	15	2.4x5.3	15	2.5x17	10
1.6x3.1	20	2x9	15	2.4x5.6	15	2.5x18	10
1.6x4.1	20	2x10	15	2.4x7.6	15	2.5x19	10
1.6x7.1	20	2x12	15	2.4x8.3	15	3x9	10
1.6x9.1	15	2x14	10	2.4x8.6	15	3x10	10
1.6x10.1	15	2x16	10	2.5x10	10	3x11	10

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.





### METRIC WAREHOUSE O-RING & SPLICING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- Also available in Viton 75 Durometer
- 61 metric sizes, 1130 total pieces
- Includes complete splicing kit components: 3 feet each of 1.6MM, 2MM, 2.5MM, 3MM, 3.5MM, 4MM, 5MM, 5.7MM along with splic ing jig, razor blade, adhesive and 2-piece set of brass installation and extraction picks
- Box dimensions 18.25" x 6.5" x 8.75" (464mm x 165mm x 223 mm)

#### PART # 75080829 (MN70WHSEKIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

FREUDENBERG-NKK

INNOVATING TOGETHER

The details of this box are valid in the United States only.

ММ	PCS.	ММ	PCS	MM	PCS.	MM	PCS.
1x2.5	35	1.5x9	30	2x8	15	2x48	15
1x3	35	1.5x15	25	2x10	15	2x50	15
1x4	35	1.5x34	25	2x11	15	2x55	15
1x4.5	35	1.6x3.1	25	2x12	15	2x58	15
1x16	35	1.6x9.1	25	2x14	15	2.5x11	15
1x17	35	1.6x12.1	25	2x30	15	2.5x12	15
1x25	35	1.9x2.8 (P3)	25	2x35	15	2.5x14	15
1.5x7	35	2x2.5	25	2x40	15	2.5x18	15

The Items included in this kit are continued on the next page.



### METRIC WAREHOUSE O-RING & SPLICING KIT



In the case of repairs, our assortment boxes or kits enable the quick replacement of seals right on site. The boxes contain a wide variety of standard dimensions in various materials and designs.

#### DETAILS

- Standard material -Buna-N 70 Durometer
- Also available in Viton 75 Durometer
- 61 metric sizes, 1130 total pieces
- Includes complete splicing kit components: 3 feet each of 1.6MM, 2MM, 2.5MM, 3MM, 3.5MM, 4MM, 5MM, 5.7MM along with splic ing jig, razor blade, adhesive and 2-piece set of brass installation and extraction picks
- Box dimensions 18.25" x 6.5" x 8.75" (464mm x 165mm x 223 mm)

#### PART # 75080829 (MN70WHSEKIT)

#### DIMENSIONS

The currently available inventory of assortment boxes/ kits can be found on our website **dichtomatik.fst.com** or on our online ordering platform **EASY**.

The details of this box are valid in the United States only.

ММ	PCS.	MM	PCS	MM	PCS.	ММ	PCS.
2.5x19	15	3x21	15	4x34	15	5x135	10
2.5x28	15	3x22	15	4x38	15	5x195	10
3x9	15	3x24	15	4x40	15	5x222	10
3x14	15	3x28	15	4x47	15	5.7x59.3	10
3x15	15	3x34	15	4x54	15	5.7x149.3 (G150)	10
3x18	15	3.5x52	15	4x60	15		
3x19.2	15	4x15	15	4x66	15		
3x20	15	4x32	15	5x70	10		

The information contained herein is believed to be reliable, but no representation, guarantees or warranties of any kind are made to its accuracy or suitability for any purpose. The information presented herein is based on laboratory testing and does not necessarily indicate end product performance. Full scale testing and end product performance are the responsibility of the user.



